







Product Image	Specifications	Dimensions						
Trim Series - Tilttable	SIRIUS	6W - 8W	10W - 15W	15W	18W - 20W	25W	25W - 30W	32W - 40W
 <p> Wattage : 6W to 40W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 55° Heatsink colour : Grey Tilt angle : 30° Outer trim colour : White/Black Baffle colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome/Silver Material : Aluminum Die Casting Mounting : Recess (Trim) </p>	Diameter : 65mm Height : 78mm Cutout : 55mm	Diameter : 85mm Height : 101mm Cutout : 75mm	Diameter : 65mm Height : 114mm Cutout : 55mm	Diameter : 105mm Height : 110mm Cutout : 95mm	Diameter : 85mm Height : 147mm Cutout : 75mm	Diameter : 105mm Height : 121mm Cutout : 95mm	Diameter : 135mm Height : 142mm Cutout : 120mm	


Product Image	Specifications	Dimensions			
Trimless Series - Tilttable	SIRIUS	6W - 8W	12W - 15W	15W - 20W	25W - 30W
 <p> Wattage : 6W to 30W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 55° Tilt angle : 30° Heatsink colour : Grey Outer trim colour : White/Black Baffle colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome/Silver Material : Aluminum Die Casting Mounting : Recess (Trimless) </p>	Diameter : 88mm Height : 78mm Cutout : 55mm	Diameter : 108mm Height : 101mm Cutout : 75mm	Diameter : 128mm Height : 110mm Cutout : 95mm	Diameter : 128mm Height : 121mm Cutout : 95mm	


Product Image	Specifications	Dimensions			
Trim Series - Tilttable	SIRIUS (Square)	6W - 8W	12W - 15W	15W - 20W	25W - 30W
 <p> Wattage : 6W to 30W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 55° Tilt angle : 30° Heatsink colour : Grey Outer trim colour : White/Black Baffle colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim) </p>	L x W : 65x65mm Height : 85mm Cutout : 55x55mm	L x W : 85x85mm Height : 111mm Cutout : 75x75mm	L x W : 105x105mm Height : 124mm Cutout : 95x95mm	L x W : 105x105mm Height : 135mm Cutout : 95x95mm	


Product Image	Specifications	Dimensions			
Trimless Series - Tilttable	SIRIUS (Square)	6W - 8W	12W - 15W	15W - 20W	25W - 30W
 <p> Wattage : 6W to 30W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 55° Tilt angle : 30° Heatsink colour : Grey Outer trim colour : White/Black Baffle colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trimless) </p>	L x W : 65x65mm Height : 85mm Cutout : 58x55mm	L x W : 85x85mm Height : 111mm Cutout : 78x75mm	L x W : 105x105mm Height : 124mm Cutout : 98x95mm	L x W : 105x105mm Height : 135mm Cutout : 98x95mm	


Product Image	Specifications	Dimensions			
Trim Series - Tilttable-Twin	SIRIUS (Square)	7W x 2	12W x 2	18W x 2	25W x 2
 <p> Wattage : 14W to 50W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 55° Tilt angle : 30° Heatsink colour : Grey Outer trim colour : White/Black Baffle colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome/Silver Material : Aluminum Die Casting Mounting : Recess (Trim) </p>	L x W : 115x65mm Height : 85mm Cutout : 105x55mm	L x W : 155x85mm Height : 111mm Cutout : 145x75mm	L x W : 195x105mm Height : 124mm Cutout : 185x95mm	L x W : 195x105mm Height : 135mm Cutout : 185x95mm	


Product Image	Specifications	Dimensions			
Trimless Series - Tilttable-Trim	SIRIUS (Square)	7W x 2	12W x 2	18W x 2	25W x 2
	Wattage : 14W to 50W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 55° Tilt angle : 30° Heatsink colour : Grey Outer trim colour : White/Black Baffle colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome/Silver Material : Aluminum Die Casting Mounting : Recess (Trimless)	L x W : 115x65mm Height : 85mm Cutout : 105x58mm	L x W : 155x85mm Height : 111mm Cutout : 145x78mm	L x W : 195x105mm Height : 124mm Cutout : 185x98mm	L x W : 195x105mm Height : 135mm Cutout : 185x98mm


Product Image	Specifications	Dimensions					
Trim Series	RIGEL	6W - 8W	10W - 12W	15W - 18W	18W - 22W	25W - 35W	40W - 50W
	Wattage : 6W to 50W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 55° Body colour : White/Black Ring colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 62mm Height : 59mm Cutout : 55mm	Diameter : 85mm Height : 64mm Cutout : 75mm	Diameter : 105mm Height : 72mm Cutout : 95mm	Diameter : 130mm Height : 73mm Cutout : 115mm	Diameter : 170mm Height : 80mm Cutout : 145mm	Diameter : 195mm Height : 85mm Cutout : 170mm


Product Image	Specifications	Dimensions		
Trim Series	ORION	6W - 8W	10W - 12W	15W - 18W
	Wattage : 6W to 18W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 36° Body colour : White/Black Ring colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 80mm Height : 77mm Cutout : 55mm	Diameter : 85mm Height : 78mm Cutout : 75mm	Diameter : 110mm Height : 103mm Cutout : 95mm


Product Image	Specifications	Dimensions				
Trim Series - IP65	HYDRA	7W - 12W	12W - 18W	20W - 30W	36W - 50W	55W - 80W
	IP65 DOWNLIGHT Wattage : 7W to 80W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 55° Body colour : White/Black Ring colour : White/Matte Black/Piano Black/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 85mm Height : 70mm Cutout : 75mm	Diameter : 110mm Height : 78mm Cutout : 95mm	Diameter : 135mm Height : 91mm Cutout : 125mm	Diameter : 180mm Height : 106mm Cutout : 155mm	Diameter : 242mm Height : 140mm Cutout : 220mm


Product Image	Specifications	Dimensions			
Trim Series	HELIOS	3W - 5W	7W - 9W	10W - 12W	15W
	Wattage : 3W to 15W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° Body colour : White/Black Ring colour : White/Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 62mm Height : 25mm Cutout : 55mm	Diameter : 72mm Height : 28mm Cutout : 65mm	Diameter : 83mm Height : 31mm Cutout : 75mm	Diameter : 105mm Height : 35mm Cutout : 95mm


Product Image	Specifications	Dimensions			
Trim Series	APOLLO	3W - 7W	9W	10W - 12W	15W - 18W
	Wattage : 3W to 18W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 36° Body colour : White / Black / Grey Ring colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 38/40mm Height : 70/72mm Cutout : 30/35mm	Diameter : 45/50mm Height : 74mm Cutout : 40/45mm	Diameter : 55/60mm Height : 72mm Cutout : 50/55mm	Diameter : 72/75mm Height : 95mm Cutout : 65/70mm


Product Image	Specifications	Dimensions		
Trim Series - Tilttable	ALBUS	3W	6W	10W
	Wattage : 3W, 6W, 10W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° Tilt angle : 25° Body colour : White / Black Ring colour : White/Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 30mm Height : 60mm Cutout : 25mm	Diameter : 40mm Height : 80mm Cutout : 35mm	Diameter : 50mm Height : 100mm Cutout : 45mm


Product Image	Specifications	Dimensions		
Trimless Series - Tilttable	ALBUS	3W	6W	10W
	Wattage : 3W, 6W, 10W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° Tilt angle : 25° Body colour : White / Black Ring colour : White/Black Material : Aluminum Die Casting Mounting : Recess (Trimless)	Diameter : 53mm Height : 60mm Cutout : 25mm	Diameter : 65mm Height : 80mm Cutout : 35mm	Diameter : 79mm Height : 100mm Cutout : 45mm


Product Image	Specifications	Dimensions			
Trim Series - Tilttable	ELIO	3W - 7W	7W - 9W	10W - 12W	15W - 18W
	Wattage : 3W to 18W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Tilt angle : 25° Body colour : White / Black Ring colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 62mm Height : 43mm Cutout : 55mm	Diameter : 82mm Height : 45mm Cutout : 75mm	Diameter : 82mm Height : 48mm Cutout : 75mm	Diameter : 105mm Height : 49mm Cutout : 95mm


Product Image	Specifications	Dimensions		
Trim Series	GALAX	7W	12W	18W
	Wattage : 7W, 12W, 18W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Body colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 61mm Height : 62mm Cutout : 55mm	Diameter : 81mm Height : 78mm Cutout : 75mm	Diameter : 101mm Height : 90mm Cutout : 95mm


Product Image	Specifications	Dimensions		
Trim Series	AZHAR	7W	12W	18W
	Wattage : 7W, 12W, 18W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Body colour : White / Black Ring colour : White/Matte Black/Piano Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 61mm Height : 62mm Cutout : 55mm	Diameter : 81mm Height : 78mm Cutout : 75mm	Diameter : 101mm Height : 90mm Cutout : 95mm


Product Image	Specifications	Dimensions		
Trim Series	VEGA	6W - 10W	10W - 15W	15W - 20W
	Wattage : 6W to 20W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 40° Heatsink colour : White / Black Ring colour : White/Matte Black/Piano Black/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 85mm Height : 50mm Cutout : 75mm	Diameter : 100mm Height : 60mm Cutout : 92mm	Diameter : 125mm Height : 73mm Cutout : 115mm


Product Image	Specifications	Dimensions		
Trim Series - Pullout	ALTAIR	8W	10W	12W
	Wattage : 8W / 12W CCT : 2700K / 3000K / 3500K / 4000K / 5000K / 6500K CRI : >80 / >90 / >95 Beam angle : 38° Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 72mm Height : 100mm Cutout : 65mm	Diameter : 85mm Height : 110mm Cutout : 75mm	Diameter : 98mm Height : 120mm Cutout : 100mm

Product Image	Specifications	Dimensions	
Trim Series - Pullout-Twin	ALTAIR	7W x 2	12W x 2
	Wattage : 7W x 2 / 12W x 2 CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 15° / 24° / 38° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 135x72mm Height : 100mm Cutout : 125x65mm	L x W : 185x98mm Height : 100mm Cutout : 175x90mm

Product Image	Specifications	Dimensions		
Trim Series	SPICA	2W-3W - 1 Eye	4W-6W - 2 Eye	10W-15W - 5 Eye
	Wattage : 2W to 15W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Body colour : White Reflector colour : Black / Rose Gold Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 45x45mm Cutout : 37x37mm	L x W : 75x45mm Cutout : 68x37mm	L x W : 147x45mm Cutout : 140x37mm

Product Image	Specifications	Dimensions			
Trimless Series	SPICA	2W - 1 Eye	4W - 2 Eye	10W - 5 Eye	20W - 10 Eye
	Wattage : 2W / 4W / 10W / 20W / 30W CCT : 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 30° Body colour : White Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trimless)	L x W : 91x38mm Height : 49mm Cutout : 42x41mm	L x W : 91x69mm Height : 49mm Cutout : 72x41mm	L x W : 141x91mm Height : 49mm Cutout : 145x41mm	L x W : 274x91mm Height : 49mm Cutout : 277x41mm

Product Image	Specifications	Dimensions		
Trim Series - Tiltable	SPICA	6W - 3 Eye	10W - 6 Eye	20W - 12 Eye
	Wattage : 6W / 10W / 20W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 36° Body colour : White / Black Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 84x49mm Height : 44mm Cutout : 78x43mm	L x W : 141x49mm Height : 44mm Cutout : 136x43mm	L x W : 255x49mm Height : 44mm Cutout : 250x43mm

Product Image	Specifications	Dimensions	
Trim Series - Tiltable-Twin	SPICA	20W - 6 Eye x 2	40W - 12 Eye x 2
	Wattage : 20W / 40W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 36° Body colour : White / Black Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 147x100mm Height : 44mm Cutout : 138x90mm	L x W : 261x100mm Height : 44mm Cutout : 252x90mm

Product Image	Specifications	Dimensions				
Trim Series - Deep Reflector	SPICA	2W - 1 Eye	4W - 2 Eye	6W - 3 Eye	10W - 5 Eye	20W - 5 Eye
	Wattage : 2W / 4W / 6W / 10W / 20W CCT : 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 36° Body colour : White / Black Reflector colour : Black/Rose Gold Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 45x45mm Height : 32mm Cutout : 35x35mm	L x W : 48x45mm Height : 32mm Cutout : 58x35mm	L x W : 95x45mm Height : 32mm Cutout : 85x35mm	L x W : 148x45mm Height : 32mm Cutout : 139x37mm	L x W : 282x45mm Height : 32mm Cutout : 272x37mm

Product Image	Specifications	Dimensions		
Trim Series	ATLAS	7W	12W	18W
	Wattage : 7W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Grey Body colour : White / Black Ring colour : White/Piano Black/Grey/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 69mm Height : 70mm Cutout : 65mm	Diameter : 83mm Height : 80mm Cutout : 75mm	Diameter : 100mm Height : 95mm Cutout : 90mm

Product Image	Specifications	Dimensions		
Trim Series	MIRA	6W	12W	18W
	Wattage : 6W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Black oxide / Grey painted Body colour : White/Black/Grey/Rose Gold/White-Gold/White-Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 40mm Height : 55mm Cutout : 35mm	Diameter : 59mm Height : 82mm Cutout : 55mm	Diameter : 74mm Height : 93mm Cutout : 70mm

Product Image	Specifications	Dimensions			
Trim Series	LYNX	3W	7W	12W	18W
	Wattage : 3W / 7W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Ring colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 46mm Height : 44mm Cutout : 39mm	Diameter : 75mm Height : 65mm Cutout : 65mm	Diameter : 85mm Height : 74mm Cutout : 75mm	Diameter : 95mm Height : 93mm Cutout : 85mm

Product Image	Specifications	Dimensions			
Trim Series	ANTARES	3W	7W	12W	18W
	Wattage : 3W / 7W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Ring colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 46mm Height : 44mm Cutout : 39mm	Diameter : 75mm Height : 57mm Cutout : 65mm	Diameter : 85mm Height : 65mm Cutout : 75mm	Diameter : 95mm Height : 82mm Cutout : 85mm

Product Image	Specifications	Dimensions
Trim Series	STELLA	12W - 15W
	Wattage : 12W to 15W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Ring colour : Piano Black/Rose Gold/Gold/Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 84mm Height : 76mm Cutout : 75mm

Product Image	Specifications	Dimensions		
Trim Series	POLARIS	6W - 8W	10W - 12W	15W - 18W
	Wattage : 6W to 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Ring colour : White/Black/Piano Black/Army Green/Brown/Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 74mm Height : 65mm Cutout : 65mm	Diameter : 84mm Height : 76mm Cutout : 75mm	Diameter : 100mm Height : 94mm Cutout : 88mm

Product Image	Specifications	Dimensions		
Trim Series	ERIS	7W	12W	18W
	Wattage : 7W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Ring colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 74mm Height : 61mm Cutout : 54mm	Diameter : 84mm Height : 68mm Cutout : 63mm	Diameter : 94mm Height : 81mm Cutout : 68mm

Product Image	Specifications	Dimensions		
Trim Series	HELIA	7W	12W	18W
	Wattage : 7W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black Ring colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 63mm Height : 44mm Cutout : 52mm	Diameter : 74mm Height : 52mm Cutout : 63mm	Diameter : 77mm Height : 63mm Cutout : 66mm

Product Image	Specifications	Dimensions
Trimless Series	ASTRO	12W - 15W
	Wattage : 12W to 15W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black / Grey Ring colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 82mm Height : 83mm Cutout : 82mm

Product Image	Specifications	Dimensions		
Trim Series	DARA	7W	12W	18W
	Wattage : 7W / 12W / 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 15° / 24° / 36° / 60° Heatsink colour : Black / Grey Ring colour : Piano Black/Chrome/Rose Gold/Gold Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 64mm Height : 51mm Cutout : 55mm	Diameter : 87mm Height : 72mm Cutout : 75mm	Diameter : 100mm Height : 80mm Cutout : 95mm

Product Image	Specifications	Dimensions
Trim Series - Wallwasher	LUNA	12W - 15W
	Wallwasher Wattage : 12W to 15W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 40° Heatsink colour : Black Ring colour : Chrome Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 85mm Height : 74mm Cutout : 75mm

Product Image	Specifications	Dimensions				
Trim Series	IZAR	6W - 8W	10W - 12W	15W - 22W	25W - 30W	40W - 50W
	Wattage : 6W to 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Black Body colour : White/Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 70mm Height : 70mm Cutout : 60mm	Diameter : 80mm Height : 74mm Cutout : 70mm	Diameter : 120mm Height : 106mm Cutout : 108mm	Diameter : 159mm Height : 120mm Cutout : 145mm	Diameter : 185mm Height : 127mm Cutout : 170mm


Product Image	Specifications	Dimensions						
Trim Series - Tilttable	POLLUX	3W - 4W	6W - 8W	10W - 12W	12W - 15W	15W - 20W	22W - 30W	36W - 50W
	Wattage : 3W to 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Black Body colour : White Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 56mm Height : 38mm Cutout : 48mm	Diameter : 74mm Height : 55mm Cutout : 64mm	Diameter : 81mm Height : 54mm Cutout : 70mm	Diameter : 89mm Height : 55mm Cutout : 79mm	Diameter : 114mm Height : 79mm Cutout : 104mm	Diameter : 137mm Height : 79mm Cutout : 125mm	Diameter : 155mm Height : 84mm Cutout : 145mm


Product Image	Specifications	Dimensions			
Trim Series - Tilttable	ATRIA	3W - 4W	6W - 8W	10W - 12W	15W - 22W
	Wattage : 3W to 22W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Black Body colour : White Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 58mm Height : 54mm Cutout : 48mm	Diameter : 90mm Height : 75mm Cutout : 80mm	Diameter : 103mm Height : 78mm Cutout : 93mm	Diameter : 138mm Height : 111mm Cutout : 125mm


Product Image	Specifications	Dimensions					
Trim Series - Tilttable	NOVA	3W - 4W	6W - 8W	10W - 12W	15W - 20W	22W - 30W	40W - 50W
	Wattage : 3W to 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Black Body colour : White Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 70mm Height : 40mm Cutout : 62mm	Diameter : 102mm Height : 58mm Cutout : 86mm	Diameter : 102mm Height : 70mm Cutout : 86mm	Diameter : 125mm Height : 70mm Cutout : 110mm	Diameter : 148mm Height : 85mm Cutout : 132mm	Diameter : 170mm Height : 85mm Cutout : 154mm


Product Image	Specifications	Dimensions					
Trim Series - Tilttable	AQUILA	3W - 4W	6W - 8W	10W - 12W	15W - 20W	20W - 30W	40W - 50W
	Wattage : 3W to 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 36° / 60° Heatsink colour : Black Body colour : White Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 62x62mm Height : 40mm Cutout : 55x55mm	L x W : 102x102mm Height : 58mm Cutout : 86x86mm	L x W : 102x102mm Height : 70mm Cutout : 86x86mm	L x W : 125x125mm Height : 70mm Cutout : 110x110mm	L x W : 148x148mm Height : 85mm Cutout : 132x132mm	L x W : 170x170mm Height : 85mm Cutout : 154x154mm


Product Image	Specifications	Dimensions		
Trim Series - Single	ARIES	7W	12W	20W
	Wattage : 7W / 12W / 20W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 40° / 60° Body colour : White / Black Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 65x65mm Height : 52mm Cutout : 55x55mm	L x W : 85x85mm Height : 63mm Cutout : 75x75mm	L x W : 105x105mm Height : 77mm Cutout : 95x95mm


Product Image	Specifications	Dimensions		
Trim Series - Double	ARIES	7W x 2	12W x 2	20W x 2
	Wattage : 14W / 24W / 40W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 40° / 60° Body colour : White / Black Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 126x65mm Height : 52mm Cutout : 115x55mm	L x W : 167x85mm Height : 63mm Cutout : 160x75mm	L x W : 208x105mm Height : 77mm Cutout : 195x95mm


Product Image	Specifications	Dimensions	
Trim Series - Triple	ARIES	7W x 3	12W x 3
	Wattage : 21W / 36W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 40° / 60° Body colour : White / Black Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 187x65mm Height : 52mm Cutout : 175x55mm	L x W : 252x85mm Height : 63mm Cutout : 240x75mm


Product Image	Specifications	Dimensions	
Trim Series - Quadruple	ARIES	7W x 4	12W x 4
	Wattage : 28W / 48W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 40° / 60° Body colour : White / Black Reflector colour : Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 126x126mm Height : 52mm Cutout : 115x115mm	L x W : 165x165mm Height : 63mm Cutout : 150x150mm


Product Image	Specifications	Dimensions			
Trim Series - Zoom	CAPELLA	6W - 10W	15W - 25W	25W - 30W	30W - 40W
	Wattage : 6W to 40W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 36° / 60° LED : Bridgelux Driver : Fulham Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 109mm Height : 95mm Cutout : 100mm	Diameter : 132mm Height : 110mm Cutout : 125mm	Diameter : 145mm Height : 113mm Cutout : 136mm	Diameter : 165mm Height : 123mm Cutout : 145mm


Product Image	Specifications	Dimensions
Trim Series - Single	COLUMBA	25W / 30W
	Wattage : 25W / 30W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 36° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 140x140mm Height : 110mm Cutout : 132x132mm


Product Image	Specifications	Dimensions
Trim Series - Double	COLUMBA	25W x 2
	Wattage : 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 36° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	L x W : 280x140mm Height : 110mm Cutout : 260x132mm


Product Image	Specifications	Dimensions			
Track Series	CAELUM	6W - 10W	15W - 20W	25W - 30W	30W - 40W
	Wattage : 6W to 40W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Channel : 2 wire / 3 wire Beam angle : 24° / 36° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Track mounted	Diameter : 50mm Length : 135mm	Diameter : 60mm Length : 150mm	Diameter : 80mm Length : 180mm	Diameter : 80mm Length : 195mm


Product Image	Specifications	Dimensions
Track Series	ANDROMEDA	25W - 30W
	Wattage : 25W to 30W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Channel : 2 wire / 3 wire Beam angle : 36° Body colour : White / Black Ring colour : White/Piano Black/Chrome/Rose Gold Material : Aluminum Die Casting Mounting : Track mounted	Diameter : 80mm Length : 180mm


Product Image	Specifications	Dimensions
Track Series	CANIS	15W - 24W
	Wattage : 15W to 24W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Channel : 2 wire / 3 wire Beam angle : 36° Body colour : White / Black Ring colour : White/Piano Black/Chrome/Rose Gold Material : Aluminum Die Casting Mounting : Track mounted	Diameter : 70mm Length : 150mm


Product Image	Specifications	Dimensions
Trim Series - Tilttable	ZENITH	10W / 12W / 15W
	Wattage : 10W / 12W / 15W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 40° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 80mm Height : 79mm Cutout : 95mm


Product Image	Specifications	Dimensions
Surface Series - Tilttable	ALASIA	10W / 12W / 15W
	Wattage : 10W / 12W / 15W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 40° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 80mm Height : 90mm


Product Image	Specifications	Dimensions			
Surface Series- Adjustable	BELEL	10W	20W	30W	40W
	Wattage : 10W / 20W / 30W / 40W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 24° / 40° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 50mm Length : 135mm	Diameter : 60mm Length : 150mm	Diameter : 80mm Length : 180mm	Diameter : 80mm Length : 195mm


Product Image	Specifications	Dimensions
Surface Series - Adjustable	CAPH	25W - 30W
	Wattage : 25W to 30W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Body colour : White / Black Ring colour : White/Piano Black/Chrome/Rose Gold Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 80mm Length : 180mm


Product Image	Specifications	Dimensions
Surface Series	DENEB	18W - 24W
	Wattage : 18W to 24W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Body colour : White / Black Ring colour : White/Piano Black/Chrome/Rose Gold Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 70mm Length : 150mm


Product Image	Specifications	Dimensions						
		7W	9W	12W	15W - 24W	24W	30W - 40W	40W - 50W
Surface Series	EBLA							
	Wattage : 7W to 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Body colour : White / Black Ring colour : White/Piano Black/Chrome/Rose Gold Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 50mm Height : 80mm	Diameter : 50mm Height : 105mm	Diameter : 70mm Height : 110mm	Diameter : 70mm Height : 150mm	Diameter : 93mm Height : 150mm	Diameter : 93mm Height : 180mm	Diameter : 115mm Height : 200mm


Product Image	Specifications	Dimensions				
		3W - 7W	10W	12W - 18W	20W - 24W	36W - 40W
Surface Series	FELIS					
	Wattage : 3W to 40W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 50mm Height : 105mm	Diameter : 50mm Height : 135mm	Diameter : 60mm Height : 150mm	Diameter : 80mm Height : 180mm	Diameter : 80mm Height : 195mm


Product Image	Specifications	Dimensions
Surface Series	GINAN	25W - 30W
	Wattage : 25W to 30W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 40° Body colour : White / Black Ring colour : White/Piano Black/Chrome/Rose Gold Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 80mm Height : 180mm


Product Image	Specifications	Dimensions		
		12W	12W x 2	12W x 3
Surface Series	IRENA			
	Wattage : 12W to 36W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 40° Body colour : White / Black Ring colour : White/Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Surface mounted	L x W : 74x74mm Height : 95mm	L x W : 143x74mm Height : 95mm	L x W : 213x74mm Height : 95mm


Product Image	Specifications	Dimensions		
Surface Series	JABBAH	7W	10W - 12W	15W - 18W
	Wattage : 7W to 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 40° Body colour : White / Black Ring colour : White/Black/Gold/Rose Gold/Chrome Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 80mm Height : 110mm	Diameter : 80mm Height : 150mm	Diameter : 80mm Height : 180mm


Product Image	Specifications	Dimensions			
Surface Series	MIZAR	10W	12W - 18W	25W - 35W	40W - 50W
	Wattage : 10W to 50W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 40° Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 87mm Height : 80mm	Diameter : 90mm Height : 110mm	Diameter : 127mm Height : 137mm	Diameter : 127mm Height : 205mm


Product Image	Specifications	Dimensions		
Surface Series	MOON	12W - 22W	22W	24W - 28W
	Wattage : 12W to 28W CCT : 3000K / 4000K / 6500K CRI : >80 Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted	Diameter : 140mm Height : 50mm	Diameter : 90mm Height : 110mm	Diameter : 170mm Height : 50mm


Product Image	Specifications	Dimensions		
Trim Series	CORVUS (Recessed - Deep)	12W	18W	22W
	Wattage : 12W to 22W CCT : 3000K / 4000K / 6500K CRI : >80 Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 120mm Cutout : 110mm	Diameter : 148mm Height : 138mm	Diameter : 170mm Height : 160mm


Product Image	Specifications	Dimensions		
Trim Series	CORVUS (Square Recessed - Deep)	12W	18W	22W
	Wattage : 12W to 22W CCT : 3000K / 4000K / 6500K CRI : >80 Body colour : White / Black Material : Aluminum Die Casting Mounting : Recess (Trim)	LxW : 110x110mm Cutout : 100x100mm	LxW : 143x143mm Cutout : 133x133mm	LxW : 165x165mm Cutout : 155x155mm


Product Image	Specifications	Dimensions			
Trim Series	CORVUS (Recessed - Panel)	8W	12W	18W	24W
	Wattage : 8W to 24W CCT : 3000K / 4000K / 6500K CRI : >80 Body colour : White Material : Aluminum Die Casting Mounting : Recess (Trim)	Diameter : 120mm Cutout : 100mm	Diameter : 145mm Height : 125mm	Diameter : 170mm Height : 150mm	Diameter : 195mm Height : 175mm

Product Image	Specifications	Dimensions			
Trim Series	CORVUS (Square Recessed - Panel)	8W	12W	18W	24W
	<p>Wattage : 8W to 24W CCT : 3000K / 4000K / 6500K CRI : >80 Body colour : White Material : Aluminum Die Casting Mounting : Recess (Trim)</p>	<p>LxW : 120x120mm Cutout : 100x100mm</p>	<p>LxW : 145x145mm Cutout : 125x125mm</p>	<p>LxW : 170x170mm Cutout : 150x150mm</p>	<p>LxW : 195x195mm Cutout : 175x175mm</p>

Product Image	Specifications	Dimensions
Surface Series	LERNA	12W - 18W
	<p>Wattage : 12W to 18W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 / >95 Beam angle : 40° Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted</p>	<p>Diameter : 89mm Height : 115mm</p>

Product Image	Specifications	Dimensions			
Surface Series - IP65	HEZE	7W	10W	18W	30W
	<p>IP65 Wattage : 7W to 30W CCT : 2700K / 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 24° / 40° / 60° Body colour : White / Black Material : Aluminum Die Casting Mounting : Surface mounted</p>	<p>Diameter : 50mm Height : 105mm</p>	<p>Diameter : 60mm Height : 90mm</p>	<p>Diameter : 60mm Height : 150mm</p>	<p>Diameter : 80mm Height : 195mm</p>

Product Image	Specifications	Dimensions		
IP65 Series	GLOAS	3W - 7W	10W	12W - 15W
	<p>IP65 UPLIGHT Wattage : 3W to 15W CCT : 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 20°/40°/60° Body colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Wall mounted</p>	<p>Diameter : 50mm Height : 120mm</p>	<p>Diameter : 60mm Height : 150mm</p>	<p>Diameter : 80mm Height : 150mm</p>

Product Image	Specifications	Dimensions		
IP65 Series	KRAZ	3W - 7W	10W	12W - 15W
	<p>IP65 UP-DOWNLIGHT Wattage : 3W to 15W CCT : 3000K / 4000K / 6500K CRI : >80 / >90 Beam angle : 20°/40°/60° Body colour : White/Black/Grey Material : Aluminum Die Casting Mounting : Wall mounted</p>	<p>Diameter : 50mm Height : 120mm</p>	<p>Diameter : 60mm Height : 150mm</p>	<p>Diameter : 80mm Height : 150mm</p>